



GUNNEBO ALLOY MASTER LINKS



CODE NO.	TRADE SIZE		MODEL	GRADE	WORKING LOAD LIMITS (LBS)	DIMENSION (INCHES)			WIEGT EACH (LBS)
	IN	MM				L	B	D	
OL380	3/8	11	M-6-10	100	3,300	3.9	2.4	0.43	0.44
OL120	1/2	14	M-86-10	100	7,000	4.7	2.8	0.55	0.88
OL580	5/8	17	M-108-10	100	11,400	5.5	3.1	0.67	1.8
OL340	3/4	19	M-13-10	100	12,300	5.9	3.5	0.75	2.2
OL780	7/8	22	M-1310-10	100	17,200	6.3	3.7	0.87	3.3
OL100	1	25	M-1613-10	100	29,900	7.5	4.3	1	5.1
OL114	1-1/4	30	M-19-10	100	35,200	7.9	4.7	1.2	7.7
OL138	1-3/8	34	M-2016-10	100	45,300	9.4	5.5	1.3	11.7
OL112	1-1/2	38	M-2220-10	100	68,000	9.8	5.9	1.5	15.4
OL158	1-5/8	40	M-2622-10	100	70,400	9.8	5.9	1.6	17.6
OL134	1-3/4	45	M-32-10	100	84,900	11.8	7.1	1.8	26.4
OL200	2	50	M-3226-10	100	102,600	11.8	7.9	2	33.1
OL214	2-1/4	55	M-3632-10	100	143,100	13.8	7.9	2.2	46.3
OL212	2-1/2	60	M-4536-10	100	160,000	14.8	8.3	2.4	57.3
OL234	2-3/4	70	M-90T-10	100	220,200	17.7	9.8	2.8	94.8
OL314	3-1/4	80	M-125T-10	100	275,300	17.7	10.2	3.1	125.6


* Design Factor 5:1, Proof tested to 2 times Working Load Limit ** Subassemblies Contain Engineered Flats - Working Load Limit for Single Leg Sling M & MT master link series replace the O & OT master link series



CODE NO.	TRADE SIZE		MODEL	GRADE	WORKING LOAD LIMITS (LBS)	DIMENSION (INCHES)								WIEGT EACH (LBS)
	IN	MM				L	B	D	L1	l	b	d		
SUB732	3/4	19	MT-6-10 **	100	11000	5.9	3.5	0.75	10.6	4.7	2.8	0.55	4	
SUB140	7/8	22	MT-8-10 **	100	17600	6.3	3.7	0.87	11.8	5.5	3.1	0.67	6.8	
SUB380	1	25	MT-9-10	100	21300	7.5	4.3	1	13.4	5.9	3.5	0.75	9.5	
SUB120	1-1/4	30	MT-10-10 **	100	35200	7.9	4.7	1.2	14.2	6.3	3.7	0.87	14.3	
SUB580	1-5/8	40	MT-13-10 **	100	57200	9.8	5.9	1.6	17.7	7.9	4.7	1.2	33.1	
SUB340	2	50	MT-16-10 **	100	77000	11.8	7.9	2	19.7	7.9	4.7	1.3	50.7	
SUB780	2-1/4	55	MT-20-10 **	100	110100	11.8	7.9	2.2	21.7	9.8	5.9	1.5	72.7	
SUB100	2-1/2	60	MT-22-10	100	165100	13.8	7.9	2.4	24	10.2	5.9	1.8	101.4	
SUB114	2-3/4	70	MT-26-10	100	220200	17.7	9.8	2.8	28.7	11	6.3	2	156.5	
SUB112	3-1/4	80	MT-32-10	100	275300	17.7	10.2	3.1	28.7	11	6.3	2.2	196.2	

* Design Factor 5:1, Proof tested to 2 times Working Load Limit ** Subassemblies Contain Engineered Flats - Working Load Limit for Single Leg Sling M & MT master link series replace the O & OT master link series

ADDITIONAL GUNNEBO PRODUCTS



BK GC-C OFG CEL SKR LFS EKN AFS